



ANAND MEDICAIDS PRIVATE LIMITED

An ISO 13485:2003 & 9001:2000 Certified Company

CE
0434

HIGH VACUUM SUCTION UNITS ◀



EUROVAC-ELITE

Anand's Oil Free Diaphragm Pump on Trolley

Housing: Engineering moulded ABS plastic box

Capacity: -700 mm Hg \pm 10 Vacuum, 35 Ltrs / min.

Pump Type: Double diaphragm pump

Jars: Wide mouthed 2 x 2.5 Ltrs. (Polycarbonate) with two-way changeover lever and safety jar with mechanical / electronic overflow motor shut-off system and autoclavable bacterial filter.

Tubing: 8 mm ID x 2 mtr (Silicon)

Vacuum Gauge: 6.25 cms (2.5 inch). 0-760 mm Hg calibration.

Power: 220 V, 50 / 60 Hz, 125 watts. (110 V on request)

Dimension & Weight: 46 x 42 x 111 cms. 15.6 kg

Controls on working height with extra pedal-operatable switch.

Trolley with non-marking castors having brake facility.

Product Range

HIGH VACUUM SUCTION UNITS

HI-VAC PLUS (90 LTR/MIN)
HI-VAC PLUS (30/65 LTR/MIN)
MAGNAVAC
HI-VAC
HI-VAC (JR.)
EUROVAC-ELITE
EUROVAC PLUS

MOBILE SUCTION UNIT

MB 36

ELECTRIC CUM MANUAL OPERATED SUCTION UNIT

EP 90

PORTABLE SUCTION UNITS

EUROVAC
EUROLITE
EURO-DEL

AC / DC SUCTION UNITS

EUROVAC-A
EUROVAC-B
INSTAD

AC / DC / PEDAL SUCTION UNIT

MULTIVAC

MANUAL OPERATED SUCTION UNITS

P-9
HANDHELD SUCTION UNIT

ACCESSORIES

POLYCARBONATE JARS
SILICON VENTEUSE CUP
YANKEUR SUCTION TUBE
KARMAN TYPE CANNULAE
BACTERIAL FILTER

ANAND MEDICAIDS PRIVATE LIMITED

Regd. Office.

No.16, Road No.33, Punjabi Bagh Ext.
New Delhi-110026, INDIA
Ph. +91-11-25225225, 25229206, 42464264
Fax. 91-11-25225062

Works.

1460 M.I.E, Bahadurgarh, Haryana-124507, INDIA
Ph. 91-1276-267061, 268407



ANAND MEDICAIDS PRIVATE LIMITED

An ISO 13485:2003 & 9001:2000 Certified Company



HIGH VACUUM SUCTION UNITS ◀

HI-VAC



Anand's High Vacuum Suction Unit - India's First ISI Marked Suction Apparatus.

Housing: Spot Welded, Oven baked cabinet (Also available with Stainless Steel Body)

Capacity: -700 mm Hg \pm 10 regulable, flutter free vacuum control knob, 45 Ltrs / min.

Pump Type: Double rotary vane pump

Jars: Wide mouthed 2 x 2 Ltrs. (Polycarbonate) with self sealing bungs and mechanical over flow safety device.

Tubing: 10 mm ID x 2 mtr (PVC)

Vacuum Gauge: Bourden type 10 cm. Dia. 0-760 mm Hg calibration.

Power: 230 V, 50 Hz, 4 \pm 0.5 Amps, 430 watts. (110 V on request)

Noise Level: 50 dB A \pm 3 Almost whispers.

Dimension & Weight: 50 x 38 x 70 cms, 40 Kg.

Product Range

HIGH VACUUM SUCTION UNITS

HI-VAC PLUS (90 LTR/MIN)
HI-VAC PLUS (30/65 LTR/MIN)
MAGNAVAC
HI-VAC
HI-VAC (JR.)
EUROVAC-ELITE
EUROVAC PLUS

MOBILE SUCTION UNIT

MB 36

ELECTRIC CUM MANUAL OPERATED SUCTION UNIT

EP 90

PORTABLE SUCTION UNITS

EUROVAC
EUROLITE
EURO-DEL

AC / DC SUCTION UNITS

EUROVAC-A
EUROVAC-B
INSTAD

AC / DC / PEDAL SUCTION UNIT

MULTIVAC

MANUAL OPERATED SUCTION UNITS

P-9
HANDHELD SUCTION UNIT

ACCESSORIES

POLYCARBONATE JARS
SILICON VENTEUSE CUP
YANKEUR SUCTION TUBE
KARMAN TYPE CANNULAE
BACTERIAL FILTER

ANAND MEDICAIDS PRIVATE LIMITED

Regd. Office.

No.16, Road No.33, Punjabi Bagh Ext.
New Delhi-110026, INDIA
Ph. +91-11-25225225, 25229206, 42464264
Fax. 91-11-25225062

Works.

1460 M.I.E, Bahadurgarh, Haryana-124507, INDIA
Ph. 91-1276-267061, 268407

sales@anandind.com, www.anandind.com



ANAND MEDICAIDS PRIVATE LIMITED

An ISO 13485:2003 & 9001:2000 Certified Company

IS:4533
CM/L-9180073
CE
0434

HIGH VACUUM SUCTION UNITS ◀

HI-VAC (JR.)



Anand's High Vacuum Suction Unit - India's First ISI Marked Suction Apparatus.

Housing: Spot Welded, Oven baked cabinet (Also available with Stainless Steel Body)

Capacity: -700 mm Hg \pm 10 regulable, flutter free vacuum control knob, 28 Ltrs / min.

Pump Type: Single rotary vane pump

Jars: Wide mouthed 2 x 2 Ltrs. (Polycarbonate) with self sealing bungs and mechanical over flow safety device.

Tubing: 10 mm ID x 2 mtr (PVC)

Vacuum Gauge: Bourden type 6.25 cm. Dia. 0-760 mm Hg calibration.

Power: 230 V, 50 Hz, 4 \pm 0.5 Amps, 200 watts. (110 V on request)

Noise Level: 50 dB A \pm 3 Almost whispers.

Dimension & Weight: 39 x 33 x 65 cms, 25 Kg.

Product Range

HIGH VACUUM SUCTION UNITS

HI-VAC PLUS (90 LTR/MIN)
HI-VAC PLUS (30/65 LTR/MIN)
MAGNAVAC
HI-VAC
HI-VAC (JR.)
EUROVAC-ELITE
EUROVAC PLUS

MOBILE SUCTION UNIT

MB 36

ELECTRIC CUM MANUAL OPERATED SUCTION UNIT

EP 90

PORTABLE SUCTION UNITS

EUROVAC
EUROLITE
EURO-DEL

AC / DC SUCTION UNITS

EUROVAC-A
EUROVAC-B
INSTAD

AC / DC / PEDAL SUCTION UNIT

MULTIVAC

MANUAL OPERATED SUCTION UNITS

P-9
HANDHELD SUCTION UNIT

ACCESSORIES

POLYCARBONATE JARS
SILICON VENTOUSE CUP
YANKEUR SUCTION TUBE
KARMAN TYPE CANNULAE
BACTERIAL FILTER

ANAND MEDICAIDS PRIVATE LIMITED

Regd. Office.

No.16, Road No.33, Punjabi Bagh Ext.
New Delhi-110026, INDIA
Ph. +91-11-25225225, 25229206, 42464264
Fax. 91-11-25225062

Works.

1460 M.I.E, Bahadurgarh, Haryana-124507, INDIA
Ph. 91-1276-267061, 268407

sales@anandind.com, www.anandind.com



ANAND MEDICAIDS PRIVATE LIMITED

An ISO 13485:2003 & 9001:2000 Certified Company

CE
0434

HIGH VACUUM SUCTION UNITS ◀

HI-VAC PLUSS (90 LTR / MIN)



Anand's High Vacuum - High Flow Suction Unit

Housing: Plastic moulded cabinet

Capacity: -700 mm Hg \pm 10 mm regulable, flutter free vacuum control knob, 90 ltrs / min

Pump Type: Double piston pump

Jars: 2 x 2.5 ltr. wide mouthed (Polycarbonate) with changeover lever. Provided with handle for hygiene while emptying / cleaning, safety jar with mechanical / electronic overflow motor shut off system and autoclavable bacterial filter.

Tubing: 10 mm ID x 2 mtr. (PVC)

Vacuum Gauge: Bourden type 6.25 cm dia 0-760 mm Hg calibration.

Power: 220 V, 50 Hz, Single Phase

Noise Level: 60 dB A \pm 3

Dimension & Weight: 46 x 32 x 86 cms, 22 Kg.

Product Range

HIGH VACUUM SUCTION UNITS

HI-VAC PLUSS (90 LTR/MIN)
HI-VAC PLUSS (30/65 LTR/MIN)
MAGNAVAC
HI-VAC
HI-VAC (JR.)
EUROVAC-ELITE
EUROVAC PLUS

MOBILE SUCTION UNIT

MB 36

ELECTRIC CUM MANUAL OPERATED SUCTION UNIT

EP 90

PORTABLE SUCTION UNITS

EUROVAC
EUROLITE
EURO-DEL

AC / DC SUCTION UNITS

EUROVAC-A
EUROVAC-B
INSTAD

AC / DC / PEDAL SUCTION UNIT

MULTIVAC

MANUAL OPERATED SUCTION UNITS

P-9
HANDHELD SUCTION UNIT

ACCESSORIES

POLYCARBONATE JARS
SILICON VENTEUSE CUP
YANKEUR SUCTION TUBE
KARMAN TYPE CANNULAE
BACTERIAL FILTER

ANAND MEDICAIDS PRIVATE LIMITED

Regd. Office.

No.16, Road No.33, Punjabi Bagh Ext.
New Delhi-110026, INDIA
Ph. +91-11-25225225, 25229206, 42464264
Fax. 91-11-25225062

Works.

1460 M.I.E, Bahadurgarh, Haryana-124507, INDIA
Ph. 91-1276-267061, 268407



ANAND MEDICAIDS PRIVATE LIMITED

An ISO 13485:2003 & 9001:2000 Certified Company

CE
0434

HIGH VACUUM SUCTION UNITS ◀



HI-VAC PLUSS (30 / 60 LTR / MIN)

Anand's High Vacuum - High Flow Suction Unit

Housing: Plastic moulded cabinet

Capacity: -600 mm Hg \pm 10 mm regulable, flutter free vacuum control knob, 30 / 60 ltrs / min

Pump Type: Double diaphragm pump

Jars: 2 x 2.5 ltr. wide mouthed (Polycarbonate) with changeover lever. Provided with handle for hygiene while emptying / cleaning. Safety jar with mechanical / electronic overflow motor shut off system and autoclavable bacterial filter.

Tubing: 10 mm ID x 2 mtr. (PVC)

Vacuum Gauge: Bourden type 6.25 cm dia 0-760 mm Hg calibration.

Power: 220 V, 50 Hz, Single Phase

Noise Level: 60 dB A \pm 3

Dimension & Weight: 46 x 32 x 86 cms, 18 Kg.

Product Range

HIGH VACUUM SUCTION UNITS

HI-VAC PLUSS (90 LTR/MIN)
HI-VAC PLUSS (30/65 LTR/MIN)
MAGNAVAC
HI-VAC
HI-VAC (JR.)
EUROVAC-ELITE
EUROVAC PLUS

MOBILE SUCTION UNIT

MB 36

ELECTRIC CUM MANUAL OPERATED SUCTION UNIT

EP 90

PORTABLE SUCTION UNITS

EUROVAC
EUROLITE
EURO-DEL

AC / DC SUCTION UNITS

EUROVAC-A
EUROVAC-B
INSTAD

AC / DC / PEDAL SUCTION UNIT

MULTIVAC

MANUAL OPERATED SUCTION UNITS

P-9
HANDHELD SUCTION UNIT

ACCESSORIES

POLYCARBONATE JARS
SILICON VENTEUSE CUP
YANKEUR SUCTION TUBE
KARMAN TYPE CANNULAE
BACTERIAL FILTER

ANAND MEDICAIDS PRIVATE LIMITED

Regd. Office.

No.16, Road No.33, Punjabi Bagh Ext.
New Delhi-110026, INDIA
Ph. +91-11-25225225, 25229206, 42464264
Fax. 91-11-25225062

Works.

1460 M.I.E, Bahadurgarh, Haryana-124507, INDIA
Ph. 91-1276-267061, 268407

sales@anandind.com, www.anandind.com