



ANAND MEDICAIDS PRIVATE LIMITED

An ISO 13485:2003 & 9001:2000 Certified Company

CE
0434

HIGH VACUUM SUCTION UNITS ◀

EUROVAC PLUS



The Portable Powerhouse - For OT's, Wards, Gynae Deptt.

Housing: Engineering plastic moulded, shock-resistant ABS with 2 size hooks to hold tube.

Capacity: -700 mm Hg \pm 10 Vacuum, 35 Ltrs / min.

Pump Type: Double diaphragm pump

Jars: Wide Mouthed Autoclavable 2 Ltr. collection jar (Polycarbonate), with mechanical / electronic over flow shut off motor system and autoclavable bacterial filter.

Tubing: 8 mm ID x 2 mtr (Silicon).

Vacuum Gauge: 6.25 cms (2.5 inch). 0-760 mm Hg. calibration.

Power: 220 V AC, 50 / 60 Hz, 125 watts. (110 V on request)

Dimension & Weight: 23 x 42 x 36 cms. 8.5 kg.



ANAND MEDICAIDS PRIVATE LIMITED

An ISO 13485:2003 & 9001:2000 Certified Company

CE
0434

MOBILE SUCTION UNITS ◀

MB 36



Electric Operated Suction Unit

Housing: Spot Welded, Oven baked cabinet

Capacity: -700 mm Hg \pm 10 regulable, flutter free vacuum control knob, 25 Ltrs / min.

Pump Type: Single rotary vane pump

Jars: Wide mouthed 2 x 2 Ltrs. (Polycarbonate) with self sealing bungs and mechanical over flow safety device.

Tubing: 8 mm ID x 2 mtr (PVC)

Vacuum Gauge: Bourden type 6.5cm. Dia. 0-760 mm Hg calibration.

Power: 230 V, 50 Hz, 2 \pm 0.5 Amps, 200 watts. (110 V on request)

Noise Level: 50 dB A \pm 3 Almost whispers.

Dimension & Weight: 43 x 30 x 68 cms. 27Kg.



ANAND MEDICAIDS PRIVATE LIMITED

An ISO 13485:2003 & 9001:2000 Certified Company

PIPELINE VACUUM UNIT ON TROLLEY ◀

PIPELINE VACUUM UNIT ON TROLLEY.



- Unit portable on 5 castors (2 with brakes)
- 2 way changeover level for 2 x 2.5 ltr PC jars.
- Additional overflow safety jars with reusable / autoclavable filter for each collection jar to prevent fluid from entering the pipeline.
- Fine vacuum regulator with vacuum gauge.
- Can be connected to any vacuum source.
- Autoclavable catheter holder provided.
- Carrying handle for easy movement.